

Caliber	6.5 PRC	308 Win. (7.62x51mm)	6mm Creedmoor	6.5 Creedmoor
Load No.	FCS65PRCTA1SC	FCS308TA1SC	FCS6CRDAB1SC	FCS65CRDTA1SC
Weight (Grains)	130	175	90	130
Weight (Grams)	8.42	11.34	5.83	8.42
Bullet Style	Terminal Ascent	Terminal Ascent	Nosler AccuBond	Terminal Ascent
Primer No.	210	210	205	205
Ballistic Coefficient	0.532	0.52	0.376	0.532
G7 Ballistic Coefficient	0.236	0.258	0	0.263
Velocity (Muzzle)	3025	2520	3120	2800
Velocity (100)	2845	2355	2862	2629
Velocity (200)	2672	2197	2618	2464
Velocity (300)	2505	2045	2387	2305
Velocity (400)	2345	1898	2168	2152
Velocity (500)	2191	1759	1960	2005
Energy (Muzzle)	2641	2467	1945	2263
Energy (100)	2336	2155	1637	1995
Energy (200)	2061	1875	1370	1752
Energy (300)	1812	1624	1139	1533
Energy (400)	1587	1400	939	1337
Energy (500)	1385	1203	768	1160
Wind Drift (100)	0.5	0.7	0.7	0.7
Wind Drift (200)	2.3	3	3.1	2.5
Wind Drift (300)	5.2	7	7.3	5.8
Wind Drift (400)	9.5	12.6	13.6	10.7
Wind Drift (500)	15.4	20.7	22.2	17.2
Average Range (50)	-0.2	0	-0.3	-0.2
Average Range (100)	0	0	0	0
Average Range (200)	-2.8	-4.8	-2.8	-3.5
Average Range (300)	-10.5	-16.8	-10.6	-12.8
Average Range (400)	-23.7	-36.9	-24.6	-28.7
Average Range (500)	*	-67.1	-45.9	-51.9
Long Range (50)	0.5	1.2	0.4	0.7
Long Range (100)	1.4	2.4	1.4	1.8
Long Range (200)	0	0	0	0
Long Range (300)	-6.2	-9.6	-6.4	-7.5
Long Range (400)	-18	-27.3	-19	-21.6
Long Range (500)	-36.2	-55	-39	-43.1
Test Barrel Length	24"	20"	20"	22"